# **New Journal of Physics**

The open access journal at the forefront of physics





## **ERRATUM • OPEN ACCESS**

Erratum: Self-subdiffusion in solutions of star-shaped crowders: nonmonotonic effects of inter-particle interactions (2015 New J. Phys. 17 113028)

To cite this article: Jaeoh Shin et al 2021 New J. Phys. 23 029601

View the <u>article online</u> for updates and enhancements.

# **New Journal of Physics**

The open access journal at the forefront of physics



Published in partnership with: Deutsche Physikalische Gesellschaft and the Institute of Physics



#### **OPEN ACCESS**

RECEIVED

5 January 2021

ACCEPTED FOR PUBLICATION 15 January 2021

PUBLISHED 24 February 2021

Original content from this work may be used under the terms of the Creative Commons Attribution 4.0 licence.

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



### Erratum

Erratum: Self-subdiffusion in solutions of star-shaped crowders: non-monotonic effects of inter-particle interactions (2015 New J. Phys. 17 113028)


Jaeoh Shin<sup>1,4</sup>, Andrey G Cherstvy<sup>2</sup> and Ralf Metzler<sup>2,3,\*</sup>

- <sup>1</sup> Rice University, Department of Chemistry, Houston, TX 77005-1892, United States of America
- <sup>2</sup> Institute for Physics & Astronomy, University of Potsdam, 14476 Potsdam-Golm, Germany
- <sup>3</sup> Department of Physics, Tampere University of Technology, 33101 Tampere, Finland
- Address at time of submission of the original article: Institute for Physics & Astronomy, University of Potsdam, 14476 Potsdam-Golm, Germany, and Max Planck Institute for the Physics of Complex Systems, 01187 Dresden, Germany.
- \* Author to whom any correspondence should be addressed.

E-mail: rmetzler@uni-potsdam.de

Keywords: diffusion, crowding, star-shaped particles

In the original paper [1] figure 6 was incomplete. The full figure is shown here.



**Figure 6.** (A): Translational mean time averaged MSD of the central star monomer and rotational mean time averaged MSD of the star shaped crowder. B: local scaling exponent  $\beta(t)$  of equation (14) computed for varying packing fractions  $\phi$ . In (B), the limit of short times a linear sampling of data points was chosen for the left panel and a logarithmic sampling for the right panel. Parameters:  $\epsilon_A = 1k_BT$ ,  $T = 2 \times 10^6$ , and N = 10.

#### **ORCID** iDs

Jaeoh Shin https://orcid.org/0000-0002-2365-5793

Andrey G Cherstvy https://orcid.org/0000-0002-0516-9900

Ralf Metzler https://orcid.org/0000-0002-6013-7020

#### References

[1] Shin J, Cherstvy A G and Metzler R 2015 Self-subdiffusion in solutions of star-shaped crowders: non-monotonic effects of inter-particle interactions *New J. Phys.* 17 113028